Sandlik.

LED Surface Mount Light

SML-6100



APPLICATIONS

111	Retails & Supermarkets
HOTEL	Hotels & Restaurants
	Commercial Buildings
	Offices And Showrooms
m	Schools & Colleges



















LED Surface Mount Light

SML-6100

Product Description:



Product Description:

Utilizing the latest generation of LED Chips and a patented smart controller, this uniquely designed wall pack not only delivers a similar light output of a 150/200W metal halide, but it also has multiple wattage and CCT to choose from based on different environments. Housing made out of die-cast aluminum with reliable powder coating specifically for harsh outdoor environment. It is attractive in appearance and performance.

Optional Kelvin color* with adder.

Features:

LISTING

UL and CUL listed for wet locations

HOUSING

Die-cast aluminum body

FINISH

UV stabilized powder coated finish

LENS

High impact polycarbonate lens

OPTIONS

Finish - Bronze. Color option with adder

Optional Photocontrol

Optional 8W Emergency Driver











LED Surface Mount Light

SML-6100

Performance Data

Model NO.	Nominal Watts**	Lumens**	Efficacy**				
	16/30/42/46W	6422 lm*	142 lm/W*				
SML-6100	21/41/61/71W	9973 lm*	141 lm/W*				
	32/62/92/100W	13952 lm*	140 lm/W*				
* Lumen and Efficacy shows the highest wattage at 5000K							


Specification:


Example:SML-6100


Model No.	Nominal Watts**	Input Voltage	CRI	Color Temp	Option	Finish	Starting Temp
SML-6100	046 =46W	UNV =120-277V	7= 70+	TK =5000 K	XS= 10kV Surge	Bronze	-40°C ~ +40°C
	071 =71W			TK =4000 K	2S= 20kV Surge		
	100 =100W			TK =3000 K	PC = Photocontrol		
					EM = Emergency Driver		

^{*} Different LED Kelvin temperature available with 4-6 week lead time. Please call for a quote.

Dimension:















^{**} DISCLAIMER: This test report was produced in accordance with IES LM-79 photometric testing protocol for luminaires, using a single representative test fixture.

Actual production units may vary from the values reported here by up to ±10%.



505 S. Yorbita Road, City of Industry, CA 91744, USA Tel:(626)839-8868 Fax:(626)581-8099 e-mail: sales@grandlite.com